SMA® AL FAMINO®



DESCRIPTION

Alfamino® is a hypoallergenic amino acid based powdered formula with added medium chain triglycerides and structured lipids. Alfamino® is for complete nutritional support from birth or supplementary feeding from 6 months and up to 3 years of age. An Infant Food For Special Medical Purposes.

PRESENTATION

400g tin with a 4.4g scoop.

INDICATIONS

ACBS approved, prescribable on FP10 (GP10 in Scotland). For the dietary management of infants with severe cows' milk protein allergy, multiple food allergies and other conditions where an amino acid formula is recommended.

INGREDIENTS

Glucose syrup, vegetable oils (sunflower, rapeseed, structured palm oil), amino acids (L-Lysine, L-Leucine, L-Proline, L-Glutamine, L-Arginine, L-Valine, Glycine, L-Isoleucine, L-Threonine, L-Serine, L-Phenylalanine, L-Tyrosine, L-Aspartic Acid, L-Histidine, L-Alanine, L-Cystine, Magnesium L-Aspartate, L-Tryptophan, L-Methionine), MCT, starch, minerals (calcium glycerophosphate, potassium chloride, sodium citrate, calcium citrate, potassium citrate, sodium phosphate, magnesium oxide, ferrous sulphate, zinc sulphate, copper sulphate, potassium iodide, manganese sulphate, sodium selenate), emulsifier (E472c), Crypthecodinium Cohii oil (DHA), Mortierella Alpina oil (ARA), choline bitartrate, vitamins (C, E, niacin, pantothenic acid, riboflavin, A, thiamin, B6, folic acid, K, D, biotin, B12), acidity regulator (E330), taurine, inositol, L-Carnitine.

ADMINISTRATION AND DOSAGE

Age of infant	Quantity per meal		Foods now dose
	Water (ml)	No. of scoops*	Feeds per day
1-2 weeks	90	3	6
3-4 weeks	120	4	5
2 nd month	150	5	5
3-4 months	180	6	5
5-6 months	210	7	5
From 7th month**	210	7	3-4

^{*}Note: Use only the enclosed scoop (4.4g).

SHELF LIFE AND STORAGE

 $24\,months$ from date of manufacture. Store unopened in a cool, dry place. Once opened, reseal and store in a cool, dry place and use within 3 weeks.







Gluten Free



Lactose Free

IMPORTANT NOTICE

Mothers should be encouraged to continue breastfeeding even when their infants have cows' milk protein allergy. This usually requires qualified dietary counselling to completely exclude all sources of cows' milk protein from the mothers' diet. If a decision to use a special formula intended for infants is taken, it is important to give instructions on correct preparation methods, emphasising that unboiled water, unsterilised bottles or incorrect dilution can all lead to illness. Formula for special medical purposes intended for infants must be used under medical supervision.

For oral/enteral use only. Complete nutritional support from birth or supplementary feeding from 6 months and up to 3 years of age.

PRECAUTIONS

Do not add any extra powder or water to make feeds stronger or weaker. Using too much or too little powder can make a baby ill. We recommend preparing each feed in individual bottles when required, feed immediately. If there is any unfinished infant milk left after feeding, throw it away.

Always hold the baby while feeding. Never leave the baby alone during feeding as there is a risk they might choke.





^{**}A healthcare professional should be consulted before introducing other food to a baby's diet.

SMA® AL FAMINO®



PREPARATION INSTRUCTIONS

The standard dilution of 13.3% is made by adding 1 level scoop of Alfamino® (approx 4.4g) to 30ml of water (approx 1 fluid oz). Incorrect storage, handling, preparation and feeding can eventually lead to adverse effects for the health



Wash hands well.



Wash bottle, teat and cap thoroughly.



Sterilise equipment (by boiling for 5 minutes or with a cold water sterilising solution).



Boil drinking (tap) water. Allow to cool for no more than 30 minutes.



Pour exact amount of water (see feeding table), into the sterilised bottle, carefully to avoid scalds, the water is hot.



Add exact number of level scoops for age of baby (see feeding table), levelling off each scoop with the back of a clean dry knife. Store the scoop in suspension inside the tin and replace the lid.



Place the sterilised teat and cap on the bottle and shake well until powder is fully dissolved. Cool bottle under cold running water until lukewarm. Test the temperature by shaking a few drops onto the inside of your wrist.



Close tin tightly after each use and store in a cool, dry place.



NUTRITION INFORMATION

Typical values	Per 100g	Per 100ml (standard 13.3% dilution)
Energy kJ/ kcal	2093/500	278/66
Fat (44% kcal) g of which:	24.6	3.3
Saturates g	8.5	1.1
MCTg	6.0	0.80
Monounsaturated g	9.4	1.2
Polyunsaturated g	5.2	0.69
α-linolenic acid mg	400	53
DHA mg	135	18
Linoleic acid mg	4000	532
ARA mg	135	18
Carbohydrate (45% kcal) g of which:	56.3	7.5
Sugars g	4.0	0.53
Protein (11% kcal) g	13	1.8
Salt g	0.49	0.065
Minerals		
Sodium mg/mmol	195/8.5	26/1.1
Potassium mg/mmol	570/15	76/2
Chloride mg/mmol	420/12	56/2
Calcium mg/mmol	530/13	70/2
Phosphorus mg	350	47
Phosphate mmol	11	1.5
Magnesium mg/mmol	45/1.9	6.0/0.2
Iron mg	5.0	0.66
Zinc mg	5.0	0.66
Copper mg	0.43	0.057
Manganese mg	0.068	0.009
Fluoride mg	< 1.0	-
Selenium µg	26	3.4
Chromium µg	<50	-
Molybdenum µg	<70	-
lodine µg	110	15
Vitamins		
Aμg	500	66
Dμg	12	1.7
E mg	11.0	1.5
Кµg	45	6.0
C mg	80	11
Thiamin mg	0.51	0.068
Riboflavin mg	1.0	0.13
Niacin mg/mg NE	7.0/12	0.93/1.6
B6 mg	0.40	0.053
Folic acid µg	75	10
Folate µg DFE	125	17
B12 µg	1.5	0.20
Biotin µg	12	1.6
Pantothenic acid mg	3.3	0.44
Other nutrients		
Taurine mg	40	5.3
L-Carnitine mg	8.5	1.1
Choline mg	145	19
-		

Osmolarity 294 mOsm/l Osmolality 327 mOsm/kg NE - Niacin Equivalent

DFE - Dietary Folate Equivalent

Recipe Code: ACS019

